

# Modulate™ Straight 810

MOD-S-810

Modulate™ consists of a set of frames made from aluminium tubes (Ø30 mm) covered with a printed tension fabric graphic. These frames can be connected together using powerful magnets inside each frame. Modulate range is available in 11 different sized formats.



- Thanks to the exclusive **MagLink** magnetic system built into the structure, you can connect the frames by simply touching them together.
- With the **Twist & Lock** system, simply position the foot under the structure, turn it and it's locked!
- The graphics are very easy to maintain thanks to the crease-resistant and machine washable textile cover. Stretch fabric with zip system.



360° MagLink connector in each pole. 2 magnets per structure



Simple assembly with numbered frame parts



Self-locking system with bungee poles and push-buttons



2 stabilising feet with Twist & Lock supplied with each frame




Double-sided tension fabric. Zip system



Modulate™ carry bag with dedicated compartments for the feet and graphics



Structure informations :	
Item	Modulate Straight 810
Code	MOD-S-810
Structure dimensions	818 (w) x 1000 (h) x 400 (d) mm
Graphic visual area	800 (w) x 982 (h) mm
Boxed dimensions	1000 (w) x 245 (h) x 125 (d) mm
Structure weight	4.20 kg
Boxed weight	4.55 kg



## OPTIONAL ELEMENTS :



Modulate half feet (pair)  
MOD-HALF-FOOT-P  
218 (w) x 6 (h) x 80 (d) mm



Spot LED Flood  
LED-FLOOD-ARM-BDLK



Spot LED Strip  
LED-STRIP-ARM-BDLK



Fixing for 30mm Ø tubing  
US903

## MIX & MATCH THE 11 MODULATE FRAMES :



Straight 420  
MOD-S-420

Straight 424  
MOD-S-424

Straight 810  
MOD-S-810

Straight 820  
MOD-S-820

Straight 824  
MOD-S-824

Curved 820  
MOD-C-820

Curved 824  
MOD-C-824

Slope 1  
MOD-SS-824-01


Slope 2  
MOD-SS-824-02

Straight 1820  
MOD-S-1820


Straight 1824  
MOD-S-1824

# Modulate™ Straight 810


MOD-S-810



## ELEMENTS



## ASSEMBLY



## CONNECTING MULTIPLE FRAMES

Remove one foot from second frame and align both frames on one foot

